

10/518, 510 /

EAST Search History

/Interference

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	35	(optic near waveguide) and (385/14, 123,126,37,129,130,131,132,141.ccls.) and (first near core) and (second near core)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/01/23 14:32
L2	0	(optic near waveguide) and (385/14, 123,126,37,129,130,131,132,141.ccls.) and (first near core) and (second near core) and (smooth near core)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/01/23 14:32
L3	0	(optic near waveguide) and (385/14, 123,126,37,129,130,131,132,141.ccls.) and (rough near boundary)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/01/23 14:33
L4	0	(optic\$ near waveguide) and (438/29, 31,32,38.ccls.) and (heat near reflow)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/01/23 14:34
L5	0	(optic\$ near waveguide) and (438/29, 31,32,38.ccls.) and (core near cladding near boundary near smooth)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/01/23 14:34
S1	3	(optic near waveguide near smooth)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/01/23 09:42
S2	2	(optic near waveguide) and (clad\$ near smooth)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/01/22 19:25
S3	20	(optic near waveguide) and (385/14, 129,130,131,132,141.ccls.) and (first near core) and (second near core)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/01/23 14:32
S4	0	(optic near waveguide) and (385/14, 129,130,131,132,141.ccls.) and (rough near boundary)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/01/23 14:33

EAST Search History

S5	0	(optic near waveguide) and (385/14, 129,130,131,132,141.ccls.) and (rough near rib near waveguide)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/01/22 19:29
S6	1	(optic near waveguide) and (385/14, 129,130,131,132,141.ccls.) and (stacked near cores)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/01/22 19:30
S7	193	(smooth near waveguide)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/01/22 19:30
S8	2	"5360982".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/01/23 09:45
S9	2	"5494834".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/01/23 10:06
S10	1	(optic\$ near waveguide) and (first near core) and (second near core) and (heat near reflow)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/01/23 10:08
S11	9	(optic\$ near waveguide) and (heat near reflow)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/01/23 10:12
S12	18	(optic\$ near waveguide) and (rough\$ near cladding)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/01/23 10:19
S13	1	(optic\$ near waveguide) and (65/385, 386.ccls.) and (heat near reflow)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/01/23 10:20
S14	0	(optic\$ near waveguide) and (438/29, 31,38.ccls.) and (heat near reflow)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/01/23 14:34

EAST Search History

S15	0	(optic\$ near waveguide) and (438/29, 31,38.ccls.) and (core near cladding near boundary near smooth)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/01/23 14:34
-----	---	---	---	----	----	------------------

10/518,510

PALM INVENTOR
SEARCH

PALM INTRANET

Day : Tuesday
Date: 1/23/2007

Time: 17:25:04

Inventor Name Search Result

Your Search was:

Last Name = SHIMODA

First Name = TSUYOSHI

Application#	Patent#	Status	Date Filed	Title	Inventor Name
<u>08546370</u>	Not Issued	161	10/20/1995	REFINER FOR ELECTROPHOTOGRAPHIC PHOTORECEPTOR USE	SHIMODA, TSUYOSHI
<u>08896846</u>	<u>5853934</u>	150	07/18/1997	ELECTROPHOTOGRAPHIC PHOTORECEPTOR	SHIMODA, TSUYOSHI
<u>09639747</u>	<u>6396988</u>	150	08/14/2000	OPTICAL WAVEGUIDE DEVICE AND METHOD OF FORMING THE SAME	SHIMODA, TSUYOSHI
<u>09978174</u>	<u>6810099</u>	150	10/17/2001	BOILING WATER REACTOR NUCLEAR POWER PLANT AND ITS CONSTRUCTION METHOD	SHIMODA, TSUYOSHI
<u>09978304</u>	Not Issued	161	10/17/2001	Boiling water reactor nuclear power plant	SHIMODA, TSUYOSHI
<u>09978308</u>	<u>6925138</u>	150	10/17/2001	REACTOR CORE AND METHOD FOR OPERATING NUCLEAR REACTOR	SHIMODA, TSUYOSHI
<u>10114975</u>	<u>6778737</u>	150	04/04/2002	OPTICAL WAVEGUIDE WITH SPOT SIZE CHANGING CORE STRUCTURE AND METHOD FOR MANUFACTURING THE SAME	SHIMODA, TSUYOSHI
<u>10341371</u>	<u>7099540</u>	150	01/14/2003	OPTICAL COUPLING DEVICE AND PROCESS FOR FABRICATION THEREOF	SHIMODA, TSUYOSHI
<u>10518510</u>	Not Issued	30	12/21/2004	Optical waveguide circuit and manufacturing method thereof	SHIMODA, TSUYOSHI
<u>10886770</u>	Not Issued	41	07/07/2004	Electrophotographic photoreceptor, a processing cartridge, an image forming apparatus and an image forming method	SHIMODA, TSUYOSHI
<u>11049357</u>	<u>7058244</u>	150	02/01/2005	MICROCHIP, METHOD OF MANUFACTURING MICROCHIP, AND METHOD OF	SHIMODA, TSUYOSHI

				DETECTING COMPOSITIONS	
<u>11438735</u>	Not Issued	30	05/22/2006	Electrophotographic image forming apparatus and image forming unit	SHIMODA, TSUYOSHI

Inventor Search Completed: No Records to Display.

Search Another: Inventor	Last Name	First Name	<input type="button" value="Search"/>
	<input type="text" value="shimoda"/>	<input type="text" value="tsuyoshi"/>	

To go back use Back button on your browser toolbar.

Back to [PALM](#) | [ASSIGNMENT](#) | [OASIS](#) | [Home page](#)